



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/608,512

06/30/2000

Reynold V. D'Sa

2207/P6786

9566

7590

08/08/2006

Kenyon & Kenyon
333 W San Carlos Street Suite 600
San Jose, CA 95110

EXAMINER

MEONSKE, TONIA L

ART UNIT

PAPER NUMBER

2181

DATE MAILED: 08/08/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/608,512	Applicant(s) D'SA ET AL.	
	Examiner Tonia L. Meonske	Art Unit 2181	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED. (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 May 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 7-9 is/are allowed.
- 6) ☒ Claim(s) 1-6 and 10-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.


Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.


FRITZ FLEMING
 SUPERVISORY PATENT EXAMINER
 TECHNOLOGY CENTER 2100
8/4/2006

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.

- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 10-18 are rejected under 35 U.S.C. 102(e) as being anticipated by Inoue, US Patent 6,851,043 (herein referred to as Inoue).

3. Referring to claim 10, Inoue has taught a method comprising:

a. determining whether a first micro-op is a bogus branch (column 2, line 48-column 3, line 22, column 5, lines 10-45, column 6, lines 15-29, column 7, line 54-column 8, line 8, column 8, lines 29-55, column 13, lines 1-27, column 14, lines 41-65, column 17, lines 3-18, column 29, lines 30-45, column 32, lines 34-43, column 33, lines 38-42, column 36, lines 40-60, column 36, line 63-column 37, line 15, column 38, lines 18-38, Determining whether an instruction contains a valid target address or determining whether an instruction is selected and determined to be a branch instruction, i.e. phantom branch.)

b. deallocating from a decoded micro-op cache at least one second micro-op related to the first micro-op (Figure 3, column 2, lines 22-47., column 8, line 29-column 10, line 43, column 14, line 66-column 15, line 25, column 15, line 62-

Art Unit: 2181

column 16, line 7, column 32, lines 59-65, column 33, lines 6-13, column 35, lines 48-67, column 36, line 53-60, column 37, lines 9-16, column 38, lines 32-38, instructions following a phantom branch or a branch with an invalid target address are invalidated and deleted from being committed.).

4. Referring to claim 11, Inoue has taught the method of claim 10, as described above, and wherein determining whether the first micro-op is a bogus branch is based on branch prediction logic (column 2, line 48-column 3, line 22, column 5, lines 10-45, column 6, lines 15-29, column 7, line 54-column 8, line 8, column 8, lines 29-55, column 13, lines 1-27, column 14, lines 41-65, column 17, lines 3-18, column 29, lines 30-45, column 32, lines 34-43, column 33, lines 38-42, column 36, lines 40-60, column 36, line 63-column 37, line 15, column 38, lines 18-38. predicting whether an instruction contains a valid target address or predicting whether an instruction is selected and determined to be a branch instruction, i.e. phantom branch (mistakenly predicting that a branch is selected)).

5. Referring to claim 12, Inoue has taught the method of claim 10, as described above, and wherein the deallocating from the decoded micro-op cache the at least one second micro-op is accomplished by checking whether a bogus branch signal flag has been attached to the at least one second micro-op (Figure 3, column 2, lines 22-47., column 8, line 29-column 10, line 43, column 14, line 66-column 15, line 25, column 15, line 62-column 16, line 7, column 32, lines 59-65, column 33, lines 6-13, column 35, lines 48-67, column 36, line 53-60, column 37, lines 9-16, column 38, lines 32-38, Checking for an invalid signal or a phantom branch signal. Instructions following a

phantom branch or a branch with an invalid target address are invalidated and cleared from being committed.).

6. Referring to claim 13, Inoue has taught the method of claim 10, as described above, and wherein deallocating further comprises at least one of:

- a. removing the specific bogus branch;
- b. removing all branches in a set with the bogus branch;
- c. removing all branches in the decoded micro-op cache; and
- d. clearing the entire decoded micro-op cache (column 14, line 66-column 15, lines 2, column 16, lines 58-61).

7. Referring to claim 14, Inoue has taught a method comprising:

- a. writing at least one micro-op into a decoded micro-op cache (column 8, lines 8-12);
- b. retiring the at least one instruction (column 22, lines 25-33); and
- c. removing entries from a branch prediction logic storage buffer that would later produce bogus branches (Figure 3, column 2, lines 22-47., column 8, line 29-column 10, line 43, column 14, line 66-column 15, line 25, column 15, line 62-column 16, line 7, column 32, lines 59-65, column 33, lines 6-13, column 35, lines 48-67, column 36, line 53-60, column 37, lines 9-16, column 38, lines 32-38, instructions following a phantom branch or a branch with an invalid target address are invalidated and deleted from being committed.).

8. Referring to claim 15, Inoue has taught the apparatus according to claim 14, as described above, and wherein retiring the at least one micro-op comprises at least:

Art Unit: 2181

- a. determining what the actual result for the retired at least one micro-op was (column 12, lines 65-67).
9. Referring to claim 16, Inoue has taught the apparatus of claim 14, as described above, and wherein scrubbing the branch prediction logic storage buffer comprises at least:
 - a. comparing what an actual result of the retired at least one micro-op is to an instruction trace in the branch prediction logic storage buffer (column 12, lines 65-67, column 14, lines 41-65).
10. Referring to claim 17, Inoue has taught the method according to claim 14, as described above, and wherein scrubbing the branch prediction logic storage buffer further comprises at least one of:
 - a. deallocating any other micro-ops pertaining to the at least one retired micro-op;
 - b. deallocating at least one old set which had been overwritten in the decoded micro-op cache by a built instruction "trace";
 - c. deallocating at least one entry that is related to a branch in at least one old set in the decoded micro-op cache; and
 - d. deallocating at least one entry that is related to a branch of at least one old set in the decoded micro-op cache that is downstream from the at least one retired micro-op (column 15, line 62-column 16, line 7, Figure 3, column 2, lines 22-47., column 8, line 29-column 10, line 43, column 14, line 66-column 15, line 25, column 15, line 62-column 16, line 7, column 32, lines 59-65, column 33,

Art Unit: 2181

lines 6-13, column 35, lines 48-67, column 36, line 53-60, column 37, lines 9-16, column 38, lines 32-38, instructions following a phantom branch or a branch with an invalid target address are invalidated and deleted from being committed.).

11. Referring to claim 18, Inoue has taught the method according to claim 14, as described above, and wherein scrubbing can be accomplished at the time of at least one of writing or retiring (column 12, lines 65-67, column 14).

Claim Rejections - 35 USC § 103

12. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

13. Claims 1-6 and 19-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Inoue, US Patent 6,851,043 (herein referred to as Inoue), in view of McCrocklin et al., US Patent 4,761,733 (herein referred to as McCrocklin).

14. Referring to claim 1, Inoue has taught a method comprising:

- a. predicting by branch prediction logic whether the at least one micro-op is a branch (column 2, line 49-column 3, line 22,);
- b. executing the at least one micro-op (column 2, lines 49-67);
- c. determining if the at least one executed micro-op is a bogus branch of the first macro instruction (column 2, line 48-column 3, line 22, column 5, lines 10-45, column 6, lines 15-29, column 7, line 54-column 8, line 8, column 8, lines 29-55, column 13, lines 1-27, column 14, lines 41-65, column 17, lines 3-18, column 29,

lines 30-45, column 32, lines 34-43, column 33, lines 38-42, column 36, lines 40-60, column 36, line 63-column 37, line 15, column 38, lines 18-38, Determining whether an instruction contains a valid target address or determining whether an instruction is selected and determined to be a branch instruction, i.e. phantom branch (mistakenly predicting that a branch is selected)); and

d. continuing processing with a second macro instruction (column 2, lines 14-33, column 5, lines 21-45, column 6, lines 1-30, column 8, lines 2-column 9, line 7, column 32, lines 30-34 and 55-59, column 33, lines 1-5 and 38-42, column 36, lines 49-60, column 36, line 62-column 37, line 15, column 38, lines 27-38, Instructions following possible branch instructions are speculatively executed and flagged with bits, see figure 3.)

e. wherein if the at least one executed micro-op is determined to be a bogus branch, then the method further comprises:

- i. flagging any other micro-ops which pertain to the at least one executed bogus branch micro-op (column 2, lines 14-33, column 5, lines 21-45, column 6, lines 1-30, column 8, lines 2-column 9, line 7, column 32, lines 30-34 and 55-59, column 33, lines 1-5 and 38-42, column 36, lines 49-60, column 36, line 62-column 37, line 15, column 38, lines 27-38, instructions following possible branch instructions are speculatively executed and flagged with bits, see figure 3.);
- ii. removing the flagged micro-ops for retirement (Figure 3, column 2, lines 22-47., column 8, line 29-column 10, line 43, column 14, line 66-

Art Unit: 2181

column 15, line 25, column 15, line 62-column 16, line 7, column 32, lines 59-65, column 33, lines 6-13, column 35, lines 48-67, column 36, line 53-60, column 37, lines 9-16, column 38, lines 32-38, instructions following a phantom branch or a branch with an invalid target address are invalidated and deleted from being committed.); and

iii. scrubbing a branch prediction logic storage buffer upon which the branch prediction logic is based (column 12, lines 65-67)

15. Inoue has not taught: decoding a first macro instruction into at least one micro-op; writing the at least one micro-op into a decoded micro-op cache. McCrocklin has taught:

a. decoding a first macro instruction into at least one micro-op (McCrocklin column 1 lines 23-33);

b. writing the at least one micro-op into a decoded micro-op cache (McCrocklin column 6 lines 49-61, column 7 lines 25-49);

16. It would have been obvious to one of ordinary skill in the art at the time of the invention to use microinstruction processors because modern computer systems typically include a micro-programmable microprocessor, which will utilize macroinstructions and microinstructions (McCrocklin column 1 lines 9-33). Since this is a typical embodiment for microprocessors, as shown by McCrocklin, one of ordinary skill in the art would have recognized the benefit in using microinstructions and macroinstructions, where the tasks are broken down into more basic functions which can be executed faster than one complex instruction. Therefore, it would have been

Art Unit: 2181

obvious to one of ordinary skill in the art at the time of the invention to use a microprocessor with microinstructions to speed up the execution of the instructions.

17. Referring to claim 2, Inoue and McCrocklin have taught the method according to claim 1, as described above, and further comprising: fetching from a main memory the macro instruction (McCrocklin column 1 lines 23-33).

18. Referring to claim 3, Inoue has taught the method according to claim 1, as described above, and wherein the at least one micro-op is written into the decoded micro-op cache in an order a branch table buffer predicts that the at least one micro-op should be executed (column 15, line 47-column 16, line 7).

19. Referring to claim 4, Inoue has taught the method according to claim 1, as described above, and wherein executing the at least one micro-op is in at least one of an "in-order" or "out-of-order" fashion (column 15, line 47-column 16, line 7).

20. Referring to claim 5, Inoue has taught the method according to claim 1, as described above, and wherein scrubbing the branch prediction logic storage buffer further comprises at least one of:

- a. deallocating any other micro-ops pertaining to the at least one executed bogus branch micro-op;
- b. deallocating at least one old set which had been overwritten in the decoded micro-op cache by a built instruction "trace";
- c. deallocating at least one entry that is related to a branch in at least one old set in the decoded micro-op cache; and

Art Unit: 2181

- d. deallocating at least one entry that is related to a branch of at least one old set in the decoded micro-op cache that is downstream from the at least one executed bogus branch micro-op (Figure 3, column 2, lines 22-47., column 8, line 29-column 10, line 43, column 14, line 66-column 15, line 25, column 15, line 62-column 16, line 7, column 32, lines 59-65, column 33, lines 6-13, column 35, lines 48-67, column 36, line 53-60, column 37, lines 9-16, column 38, lines 32-38, instructions following a phantom branch or a branch with an invalid target address are invalidated and deleted from being committed.).
21. Referring to claim 6, Inoue has taught the method according to claim 1, as described above, and further comprising: determining if the branch has been taken (Figure 3, "taken" field).
22. Referring to claim 19, Inoue has taught an apparatus comprising:
- a. a branch prediction logic storage buffer to predict whether a branch will be taken upon execution of the at least one decoded micro-op (column 17, lines 4-18, branch history table);
 - b. an instruction execution unit to execute the at least one micro-op (column 5, lines 21-33); and
 - c. an instruction retirement unit which is to determine whether the at least one micro-op is of a bogus branch macro instruction (column 2, line 48-column 3, line 22, column 5, lines 10-45, column 6, lines 15-29, column 7, line 54-column 8, line 8, column 8, lines 29-55, column 13, lines 1-27, column 14, lines 41-65, column 17, lines 3-18, column 29, lines 30-45, column 32, lines 34-43, column

Art Unit: 2181

33, lines 38-42, column 36, lines 40-60, column 36, line 63-column 37, line 15, column 38, lines 18-38. determining whether an instruction contains a valid target address or determining whether an instruction is selected and determined to be a branch instruction, i.e. phantom branch (mistakenly predicting that a branch is selected)),

d. wherein if the instruction retirement unit determines the at least one micro-op is of a bogus branch macro instruction, any other micro-ops stored in the decoded micro-op cache pertaining to that bogus branch macro instruction are flagged and removed to the instruction retirement unit for retirement (Figure 3, column 2, lines 22-47., column 8, line 29-column 10, line 43, column 14, line 66-column 15, line 25, column 15, line 62-column 16, line 7, column 32, lines 59-65, column 33, lines 6-13, column 35, lines 48-67, column 36, line 53-60, column 37, lines 9-16, column 38, lines 32-38, instructions following a phantom branch or a branch with an invalid target address are invalidated and cleared from being committed.)

e. and the branch prediction logic storage buffer is scrubbed (column 12, lines 65-67).

23. Inoue has not taught a decoded micro-op cache into which are written at least one decoded micro-op of a macro instruction. McCrocklin has taught a decoded micro-op cache into which are written at least one decoded micro-op of a macro instruction (McCrocklin column 1 lines 23-33, column 6 lines 49-61, column 7 lines 25-49). It would have been obvious to one of ordinary skill in the art at the time of the invention to use

microinstruction processors because modern computer systems typically include a micro-programmable microprocessor, which will utilize macroinstructions and microinstructions (McCrocklin column 1 lines 9-33). Since this is a typical embodiment for microprocessors, as shown by McCrocklin, one of ordinary skill in the art would have recognized the benefit in using microinstructions and macroinstructions, where the tasks are broken down into more basic functions which can be executed faster than one complex instruction. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use a microprocessor with microinstructions to speed up the execution of the instructions.

24. Referring to claim 20, the combination of Inoue and McCrocklin have taught the apparatus of claim 19, as described above, and further comprising: a main memory in which the macro instruction is stored; and an instruction fetch unit for fetching the macro instruction from the main memory (McCrocklin column 1 lines 23-33).

25. Referring to claim 21, Inoue and McCrocklin have taught the apparatus of claim 19, as described above, and further comprising: an instruction decode unit for translating the macro instruction into the at least one decoded micro-op (McCrocklin column 1 lines 23-33; it is inherent that if the system decodes the macroinstructions into microinstructions that some decode unit must exist in the system).

26. Referring to claim 22, Inoue has taught the apparatus according to claim 19, as described above, and further comprising: a jump execution unit which determines whether a branch was taken upon execution of the at least one decoded micro-op (column 14, lines 8-15).

Art Unit: 2181

27. Referring to claim 23, Inoue has taught the apparatus according to claim 19, as described above, and wherein the branch prediction logic storage buffer applies branch prediction logic to predict whether a branch will be taken upon execution of the at least one decoded micro-op (column 7, lines 54-62).

28. Referring to claim 24, Inoue has taught the apparatus according to claim 19, as described above, and wherein if the branch prediction logic storage buffer predicts a branch will be taken upon execution of the at least one decoded micro-op, an instruction trace is built pertaining to the predicted branch (column 17, lines 4-19).

29. Referring to claim 25, the combination of Inoue and McCrocklin have taught the apparatus of claim 24, as described above, and wherein the built instruction trace is inserted into the decoded micro-op cache such that the micro-ops of the branch macro-instruction are executed (Inoue and McCrocklin, the trace, or flags that Inoue uses to flag the instructions associated with a branch would be put on to the instruction still awaiting to be executed in the cache after being fetched based on the branch prediction).

30. Referring to claim 26, Inoue has taught the apparatus of claim 19, as described above, and wherein the branch prediction logic storage buffer is scrubbed by deallocation of at least one of any other micro-ops pertaining to the bogus branch macro instruction, any old set which had been overwritten in the decoded micro-op cache by a built instruction "trace", all entries that are related to any branches in the old set, and all entries that are related to the branches in the old set that are downstream from the retired branch macro instruction (column 12, lines 65-67).

Response to Arguments

31. Applicant's arguments, see page 10, line 14-page 11, line 2, filed on May 19, 2006, with respect to claims 7-9 have been fully considered and are persuasive. The prior rejections of claims 7-9 under 35 USC 102 and 103 have been withdrawn.

32. Applicant's arguments filed May 19, 2006 have been fully considered but with respect to claims 1-6 and 10-25 they are not persuasive.

33. On pages 10 and 11, Applicant argues in essence:

"Inoue does not teach the claim limitation of "predicting whether a first micro-op is a bogus branch instruction" as claimed in independent claim 7. Independent claims 10 and 14 similarly contain elements relating to predicted bogus branches."

However, claims 10 and 14 do not claim "predicting" whether a micro-op is a bogus branch instruction as in claim 7. Claim 10 at best claims determining whether a first micro-op is a bogus branch. "Predicting" is much different from determining whether a first micro-op is a bogus branch. Inoue has in fact taught determining whether a first micro-op is a bogus branch (See Inoue, "Phantom Branches" are determined, Figure 3, column 2, lines 22-47, column 8, line 29-column 10, line 43, column 14, line 66-column 15, line 25, column 15, line 62-column 16, line 7, column 32, lines 59-65, column 33, lines 6-13, column 35, lines 48-67, column 36, line 53-60, column 37, lines 9-16, column 38, lines 18-38). Furthermore, claim 14 does not even claim "determining" anything. At best claim 14 has removing entries from a branch prediction logic storage buffer that would later produce bogus branches. Inoue has in fact taught that instructions following a phantom branch or branch with an invalid target address are

invalidated and deleted from being committed (See Inoue, Figure 3, column 2, lines 22-47, column 8, line 29-column 10, line 43, column 14, line 66-column 15, line 25, column 15, line 62-column 16, line 7, column 32, lines 59-65, column 33, lines 6-13, column 35, lines 48-67, column 36, line 53-60, column 37, lines 9-16, column 38, lines 18-38). Therefore this argument is moot.

Allowable Subject Matter

34. Claims 7-9 are allowed.

Conclusion

35. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

36. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


37. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tonia L. Meonske whose telephone number is (571) 272-4170. The examiner can normally be reached on Monday-Friday with first Friday's off.

Art Unit: 2181

38. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Fritz Fleming can be reached on (571) 272-4145. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

39. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

tlm


FRITZ FLEMING
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100
8/4/2006